

Brite Mat Mouse Mats

Brite Mat mousemats are rigid and hardwearing, made from 97-99.5% recycled material such as plastic CD cases or car tyres. Practically indestructible under normal use. When it comes to mouse-mats, the Brite-Mat® mouse mat is one of the most popular products on the market. Mouse mats are ideal for carrying contact details, calendars and even product range information, making them a really useful item and a great way to secure essential brand presence on any desk. The original hard-top Brite-Mat mouse mat offers stunning colour reproduction and a huge branding area for your logo. The Brite-Mat mouse mat is made right here in the UK using patented Brite™ technology. Its extremely hardwearing, has a non-slip base and offers 100% perfect mouse control for both optical and standard ball mice.



Key Product Information

Product Code: BMAT
Commodity Code: 3926100000
MOQ: 250
Size: See Artwork Requirements 3mm
Thickness: (5mm available on request)
Print Area: Within Dimensions
Print Type: 1- 4/Full Colour Litho print.
Material: Recycled plastic or tyres (97-99.5%).

Source: UK
PDF proof lead time: 24-48 Hours
Express Service: N/A

Printed proof (if required) N/A

Production lead time: 5-10 Working days from proof approval

Standard colours: N/A
Weight: Rectangular Mats: 90g
Circular Mats: 65g

Packaging

Number per carton: 125
Carton Dimension: 400 x 220 x 180mm
Carton Weight: 13Kg (40 boxes per pallet)
Standard Packaging: Bulk/Flat packed
Alternative Packaging: N/A

Recommendations & Limitations

Borders

There is the chance of slight movement from product to product so we would recommend avoiding having a border around the edge as part of the artwork because it is noticeable.

Ideal for: Longer term promotional campaigns (very long-lasting mats), IT Companies, Educational Organisations, Pharmaceutical, Recruitment or exhibition giveaways.

Brite Mats

Standard Sizes: Rectangle 240mm x 190mm and Circle 200mm diameter. Custom shapes are NOT AVAILABLE in the Brite Mat.

1-4 colour/Full Colour Litho Print:

- All graphics should be supplied as high resolution CMYK files at a minimum of 300dpi. If you supply your Pantone references (in the Solid Coated range only), matching will be done as close as possible but will not be 100%.
- All design components must be supplied and clearly identified. This includes Tiff, EPS and PDF files; all printer fonts used in the main file & imported graphics.

Regardless of print method:

- Allow 5mm bleed all around the design.
- Artwork to be emailed with your order number and company name in the reference line or supplied on CD with same information clearly labeled.


Full detailed guidelines including limitations & recommendations are available for each printing method on request.

Pantone-matching is approximate.

QR Codes - Please note that the print process and substrates used in the production of this item may not always allow QR codes, if present on your artwork, to function correctly. When approving your proof, you are accepting that this may be the case and as such accept full liability for any malfunction of the QR code.

See the following page(s) for the artwork templates for this product.

All information correct at time of publication. Whilst we endeavour to maintain the accuracy of this document, details may change without notice.




Brite Mats - Rectangular

Tool No:	BR0005
Shape:	Rectangle
Cut Size -	
Width:	240mm
Height:	190mm
Artwork with Bleed -	
Width:	250mm
Height:	200mm

--- Please keep all live matter such as text, logos and other important images within this area.

This dieline represents a current finishing tool. Any alterations to this dieline may incur additional charges.



Brite Mats - Circular

Tool No: BR0007

Shape: Circle

Cut Size -

Width: 200mm

Height: 200mm

Artwork with Bleed -

Width: 210mm

Height: 210mm

- - - Please keep all live matter such as text, logos and other important images within this area.

This dieline represents a current finishing tool. Any alterations to this dieline may incur additional charges.